

South West Africa Succulents Nurseries

P.O. Box 539 WINDHOEK S.W.A. Phone 830

Cable and Telegrams: SUCCULENTS

LIBRARY
RECEIVED

★ JUL 19 1938 ★

U. S. Department of Agriculture

SPECIALIST No. 74

Plants and seeds from Euphorbias

EUPHORBIA:	plants			seeds		
	1	12	100	25	100	1000
abyssinica Raeuschel	10/- to 100/-					
aggregate Brgr.	2/- „ 5/-	30/-				
albertensis N. E. Br.	3/- „ 10/-	36/-		5/-	15/-	120/-
alcicornis Bak.	2/- „ 5/-	25/-				
alternicolor N. E. Br.	3/- „ 10/-	48/-				
antiquorum L.	3/- „ 10/-	30/-				
aphylla Brouss.	2/- „ 5/-	25/-		1/6	5/-	30/-
argillicola Dtr.	5/- „ 10/-	48/-	350/-	2/6	8/-	45/-
astrispinae Marl.	5/- „ 10/-	48/-	350/-	5/-	18/-	
atropurpurea Brouss.	2/- „ 5/-	25/-	180/-	1/6	4/-	20/-
avasimontana Dtr.	3/- „ 20/-	30/-	200/-	2/6	8/-	45/-
balsamifera Ait.	2/6 „ 5/-	25/-				
Beaumieriana Hook fil.	5/- „ 20/-					
Bergeriana Dtr.	3/- „ 10/-	42/-	300/-	3/-	10/-	
brachiata E. May.	1/6 „ 10/-	25/-		3/-	10/-	
Bojeri Hook fil.	1/- „ 3/-	12/-	75/-			
Braunsii N. E. Br.	3/- „ 10/-	36/-		1/6	5/-	30/-
bubalina Boiss.	2/6 „ 10/-	25/-		1/6	5/-	30/-
bupleurifolia Jacq.	2/- „ 10/-	25/-		2/6	8/-	50/-
canariensis L.	1/6 „ 50/-	36/-		1/-	3/-	18/-
captiosa N. E. Br.	3/- „ 10/-					
caput-Medusae L.	2/6 „ 10/-	36/-				
carinata Lodd (Pedil.)	3/- „ 10/-	36/-				
cateriviflora N. E. Br.	5/- „ 25/-					
cereiformis L.	2/- „ 10/-	36/-				
cervicornis Boiss.	5/- „ 50/-	48/-				
clandestina Jacq.	1/6 „ 10/-	24/-	150/-	2/-	6/-	
clava Jacq.	1/6 „ 10/-	24/-	150/-	3/-	10/-	80/-
coerulescens Haw.	3/- „ 30/-	36/-		5/-	18/-	
confluens Nel.	3/- „ 10/-	36/-		3/-	10/-	
Cooperi* N. E. Br.	3/- „ 25/-	36/-				

	plants			seeds		
	1	12	100	25	100	1000
EUPHORBIA:						
crassipes Marl.	3/- to	5/-	30/-	200/-	3/-	10/- 75/-
crotonoides Boiss.	2/6 „	10/-	30/-			
cumulata Dyer.	3/- „	5/-	36/-			
dendroides L.	3/- „	30/-	36/-			
Dinteri Marl.	5/- „	50/-	48/-	350/-	3/-	18/- 150/-
Drégeana E. May.	3/- „	30/-	48/-			
echinus Hook fil.	3/- „	15/-	36/-			
eeendornensis Dtr.	5/- „	25/-	48/-	350/-	1/6	5/- 40/-
elliptica Thunbg.	1/6 „	5/-	20/-			
Engleri Dtr.					1/6	5/- 40/-
enopla Boiss.	3/- „	10/-	36/-			
esculenta Marl.	3/- „	10/-	48/-			
Evansii Pax.	1/6 „	10/-	36/-			
falsa N. E. Br.	2/6 „	5/-	36/-		3/-	10/-
fasciculata Thunbg.	3/- „	100/-	60/-		5/-	18/- 150/-
ferox Marl.	3/- „	10/-	48/-			
filiflora Marl.	3/- „	10/-	48/-			
fimbriata Scop.	2/- „	5/-	30/-			
Flanaghani N. E. Br.	2/- „	5/-	30/-		3/-	10/-
Fournieri hort.	5/-					
Friedrichae Dtr.	5/- „	10/-	48/-	350/-	3/-	10/- 80/-
fulgens Karw.	2/- „	5/-	36/-			
globosa Sims.	2/- „	5/-	18/-		3/-	10/-
gorgonis Brgr.	1/6 „	5/-	30/-	200/-	3/-	10/- 75/-
grandicornis Goeb.	5/-					
grandidens Harv.	1/6 „	5/-	20/-	150/-		
Grantii Hook fil. (Synad.)	5/-					
gregaria Marl.	2/- „	10/-	36/-	250/-	3/-	10/- 75/-
Güerichiana Pax.	5/- „	20/-	48/-		5/-	18/- 150/-
gummifera Boiss.	3/- „	10/-	48/-		1/-	3/- 20/-
Halleri Dtr.	5/- „	15/-	48/-		5/-	18/-
hamata Sweet.	3/- „	20/-	48/-			
handiensis Burch.	2/6 „	10/-	36/-		10/-	36/-
heptagona L.	1/6 „	5/-	20/-	140/-		
hermentiana Lem.	1/6 „	10/-	20/-			
hopetowniensis Nel.	3/- „	15/-	48/-		3/-	10/-
horrida Boiss.	5/- „	100/-	60/-		10/-	
hottentotae N. E. Br.	5/- „	30/-	60/-		3/-	10/- 80/-
hypogea Marl.	3/- „	10/-	36/-			
inermis Mill.	2/6 „	10/-	36/-		5/-	18/- 150/-
ingens E. Mey.	5/- „	100/-	60/-			
intermedia Dyer.	2/6 „	15/-	36/-			
Jansenvillensis Nel.	3/- „	15/-	36/-			
Juttae Dtr.	2/- „	10/-	24/-	180/-	3/-	10/- 80/-
kalaharica Marl.	5/- „	30/-				
karrasmontana Dtr.	5/- „	50/-	60/-		3/-	10/- 80/-

	plants			seeds		
	1	12	100	25	100	1000
EUPHORBIA:						
Knobelia Dyer.	3/- to 15/-	48/-		10/-	36/-	
lactea Haw.	2/- „ 10/-	30/-				
Laro Drake.	3/- „ 30/-	36/-				
Ledenii Brgr.	2/6 „ 10/-	36/-				
lignosa Marl.	3/- „ 10/-	48/-	350/-	4/-	12/-	100/-
Lydenburgensis Dyer.	3/- „ 10/-	48/-				
mammillaris L.	1/6 „ 10/-	20/-				
Marietalis Croiz.	3/- „ 15/-	36/-	250/-	3/-	10/-	75/-
mauretanica L.	1/6 „ 10/-	15/-		1/-	3/-	25/-
meliformis Ait.	2/6 „ 5/-	30/-	225/-	4/-	12/-	100/-
Merenskyana Dtr.	3/- „ 10/-	48/-	350/-	3/-	10/-	80/-
micracantha Marl.	5/- „ 10/-	50/-				
Monteiroi Hook fil.	2/- „ 20/-	25/-	180/-	3/-	10/-	80/-
Morinii Brgr.	5/- „ 10/-	48/-				
Muirii N. E. Br.	2/- „ 10/-	25/-				
multiceps Brgr.	5/- „ 15/-	48/-		5/-	18/-	
namibensis Marl.	5/- „ 15/-	48/-	350/-	5/-	18/-	150/-
neriifolia L.	1/6 „ 15/-					
nivulia Haw.				3/-	10/-	80/-
obesa Hook fil.	3/- „ 30/-	48/-	350/-	5/-	18/-	150/-
orabensis Dtr.	3/- „ 10/-	48/-	350/-	3/-	10/-	75/-
ornithopus Jacq.	2/6 „ 5/-	24/-				
pendula Link.	2/6 „ 5/-	24/-				
pentagona Haw.	1/6 „ 5/-	24/-				
pentops Marl.	4/- „ 15/-	48/-		5/-	18/-	
phyllocata Boiss.				5/-	18/-	
Pillansii Marl.	3/- „ 10/-	48/-				
polycephala Marl.	3/- „ 15/-	30/-				
polygona Haw.	3/- „ 10/-	36/-				
procumbens N. E. Br.	3/- „ 15/-	60/-				
pseudobrachiata Dtr.	3/- „ 10/-	48/-		3/-	10/-	75/-
pseudocactus Brgr.	3/- „ 10/-	36/-				
pseudoglobosa Marl.	3/- „ 5/-	36/-				
pseudohypogea Dtr.	3/- „ 5/-	36/-	250/-	3/-	10/-	75/-
pseudosilicicola Dtr.	2/- „ 10/-	36/-	250/-	3/-	10/-	75/-
pseudotuberosa Pax.	5/- „ 15/-					
pteroneura Brgr.	1/6 „ 5/-	24/-				
pugniformis Boiss.	3/- „ 10/-	36/-	250/-	5/-	18/-	
pulvinata Marl.	2/6 „ 8/-	36/-				
Rangeana Dtr.	3/- „ 15/-	36/-	250/-	2/6	8/-	35/-
regis Jubae Webb et Berth.	1/6 „ 10/-	18/-	125/-	1/-	3/-	20/-
resinifera Brgr.	1/- „ 15/-	18/-	125/-			
Schaeferi Dtr.	5/- „ 10/-	48/-	350/-	4/-	12/-	100/-
Schinzii Pax.	3/- „ 10/-	36/-	250/-			
Schoenlandii Pax.	3/- „ 10/-	48/-	350/-	10/-	35/-	
scolopendrea Haw.	3/- „ 10/-	48/-				

	plants			seeds		
	1	12	100	25	100	1000
EUPHORBIA:						
similis Brgr.	10/- to 100/-					
silicicola Dtr.	3/- „ 5/-	36/-	250/-	3/-	10/-	80/-
spartiaria N. E. Br.	3/- „ 5/-	36/-	250/-			
splendens Bojer	1/6 „ 5/-	36/-	250/-			
squarrosa Haw.	3/- „ 10/-	36/-				
stapelioides Boiss.	3/- „ 10/-	48/-				
stellaspinæ Haw.	16/- „ 15/-	24/-	180/-	3/-	10/-	80/-
stellata Willd.	3/- „ 10/-	48/-				
stolonifera Marl.	2/6 „ 5/-	36/-				
submammillaris Brgr.	1/6 „ 5/-	36/-				
Susannæ Marl.	3/- „ 10/-	36/-				
tetragona Bak.	3/- „ 10/-	36/-				
Tirucalli L.	1/- „ 5/-	18/-				
triangularis Desf.	16/- „ 10/-	24/-	175/-			
Triebneri Dtr.	3/- „ 10/-	48/-	350/-	5/-	18/-	150/-
tridentata Lam.	3/- „ 10/-	36/-				
trigona Haw.	3/- „ 5/-					
truncata N. E. Br.	3/- „ 10/-	48/-				
tuberculata Jacq.	3/- „ 25/-	48/-	350/-	5/-	18/-	150/-
tuberosa Loeh.	3/- „ 10/-					
tubiglans Nel.	3/- „ 5/-					
urikosensis Dtr.	7/6 „ 50/-			5/-	18/-	150/-
valida N. E. Br.	3/- „ 10/-	36/-		5/-	18/-	150/-
variegata Haw.	2/- „ 10/-	36/-				
venenata Marl.	10/- „ 50/-	120/-		5/-	18/-	150/-
Verdwaalii Dtr.	2/6 „ 7/6	36/-	250/-	3/-	10/-	80/-
verruculosa Marl.	5/- „ 10/-					
viperina Brgr.	3/- „ 15/-	60/-				
virosa Willd.	3/- „ 20/-	48/-	350/-	2/6	8/-	40/-
virosa var. striata Marl.	5/- „ 20/-	60/-		5/-	18/-	150/-
Volkmanne Dtr.	5/- „ 15/-	60/-		5/-	18/-	150/-
Wilmannæ Marl.	2/6 „ 10/-	36/-				
xylophyloides Ad. Braugh.	3/- „ 18/-	36/-				

This list cancelled previous lists. All prices in S.A. Currency.
Terms: Cash with order or bank accreditive by "Barclays Bank",
Windhoek, S.W.A.

All plants are collected plants, not seedlings or cuttings. Exhibitions-
plants from all spec., please ask prices.